

E-DS 55 Specification Sheet



Product Code: EDS-55

E-DS 55 Specification Sheet



- The EDS-55 is an advanced Variable Rate Board display.
- It features a built-in computer and can be managed remotely via cloud-based software.
- This means E-DS 55 owners can change the displayed parking prices from a computer in their office or even schedule changes in the display.
- The device can also be used to provide parking guidance information so parking lot users can find parking spots more efficiently.
- It can also be used to display traffic information to inform parking lot users of the best route to their next destination warning them of road works, accidents and traffic jams.
- Advertising or instructional video can also be displayed.

| | |
|-------------------|--|
| Dimensions | 2100 x 850 x 150mm |
| Display Size | 55 inch |
| Resolution | 1920 x 1080p |
| Display specs | 4000:1, Brightness: 2500cd/m ² , LED; Colours 1.07B (8bit+FRC), colour saturation: 75%. Intelligent optical sensor- self adjusting screen brightness, sunlight readable backlight. |

E-DS 55 Specification Sheet



| | |
|-----------------------|--|
| Interface | USB/ HDMI/RJ45/SD1, viewing angle:178° |
| IP Grade | IP55, suitable outdoors. |
| Housing | Full metal housing design, with heating conducting metals. |
| Max Power Consumption | 380W, power supply: AC 100-240V. Features abnormal voltage protection which automatically detect any voltage fluctuations and powers off the machine. |
| Working Life | 50,000 hours. |
| Cooling | Intelligent temperature control fan cooling auto adjusts according to internal temperature. |